SEQUENCE LISTING

<110> Becker, Michael M.
Majlessi, Mehrdad
Brentano, Steven T.

<120> Kits for Amplifying Nucleic Acid Sequences Using Modified
Oligonucleotides

<130> GP068-03.CN1

<140> 09/523,237
<141> 2000-03-10

<150> 08/893,300
<151> 1997-07-15

<150> 60/021,818
<151> 1996-07-16

<160> 11

<170> PatentIn version 3.2

<210> 1
<211> 26
<212> DNA
<213> Escherichia coli

<400> 1
atgttgggtt aagtcccgca acgagc   26

<210> 2
<211> 26
<212> DNA
<213> Escherichia coli

<400> 2
gctcgttgcg ggacttaacc caacat   26

<210> 3
<211> 26
<212> RNA
<213> Artificial

<220>
<223> Escherichia coli target-complementary probe sequence

<220>
<221> misc_feature
<222> (1)..(26)
<223> 2'-O-methyl ribonucleotides

<400> 3
gcucguugcg ggacuuaacc caacau   26

<210> 4
<211> 26
<212> DNA

<213> Artificial

<220>
<223> Escherichia coli target-complementary probe sequence

<220>
<221> misc_feature
<222> (1)..(12)
<223> 2'-O-methyl ribonucleotides

<220>
<221> misc_feature
<222> (13)..(20)
<223> deoxyribonucleotides

<220>
<221> misc_feature
<222> (21)..(26)
<223> 2'-O-methyl ribonucleotides

<400> 4
gcucguugcg ggacttaacc caacau   26

<210> 5
<211> 26
<212> DNA
<213> Artificial

<220>
<223> Escherichia coli target-complementary probe sequence

<220>
<221> misc_feature
<222> (1)..(12)
<223> deoxyribonucleotides

<220>
<221> misc_feature
<222> (13)..(20)
<223> 2'-O-methyl ribonucleotides

<220>
<221> misc_feature
<222> (21)..(26)
<223> deoxyribonucleotides

<400> 5
gctcgttgcg ggacuuaacc caacat   26

<210> 6
<211> 26
<212> DNA
<213> Artificial

<220>
<223> Escherichia coli target-complementary probe sequence

<220>

```
<221>  misc_feature
<222>  (1)..(8)
<223>  deoxyribonucleotides

<220>
<221>  misc_feature
<222>  (9)..(24)
<223>  2'-O-methyl ribonucleotides

<220>
<221>  misc_feature
<222>  (25)..(26)
<223>  deoxyribonucleotides

<400>  6
gctcgttgcg ggacuuaacc caacat                                    26


<210>  7
<211>  26
<212>  RNA
<213>  Escherichia coli

<400>  7
gcucguugcg ggacuuaacc caacau                                    26


<210>  8
<211>  26
<212>  RNA
<213>  Artificial

<220>
<223>  Synthetic construct containing base sequence present in
       Escherichia coli


<220>
<221>  misc_feature
<222>  (1)..(26)
<223>  2'-O-methyl ribonucleotides

<400>  8
auguuggguu aagucccgca acgagc                                    26


<210>  9
<211>  26
<212>  RNA
<213>  Escherichia coli

<400>  9
auguuggguu aagucccgca acgagc                                    26


<210>  10
<211>  26
<212>  DNA
<213>  Artificial

<220>
<223>  Escherichia coli target-complementary probe sequence
```

```
<220>
<221>  misc_feature
<222>  (1)..(15)
<223>  deoxyribonucleotides

<220>
<221>  misc_feature
<222>  (16)..(17)
<223>  2'-O-methyl ribonucleotides

<220>
<221>  misc_feature
<222>  (18)..(26)
<223>  deoxyribonucleotides

<400>  10
gctcgttgcg ggactuaacc caacat                                    26


<210>  11
<211>  26
<212>  DNA
<213>  Artificial

<220>
<223>  Escherichia coli target-complementary probe sequence

<220>
<221>  misc_feature
<222>  (1)..(14)
<223>  deoxyribonucleotides

<220>
<221>  misc_feature
<222>  (15)..(18)
<223>  2'-O-methyl ribonucleotides

<220>
<221>  misc_feature
<222>  (19)..(26)
<223>  deoxyribonucleotides

<400>  11
gctcgttgcg ggacuuaacc caacat                                    26
```